

01 PE
JAN 25 2002

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Atty. Docket

LYSTER ET AL

US 010491

Serial No. 09/954,574

Group Art Unit: 3762

Filed: September 14, 2001

Examiner

0300
COPIES OF PAPERS
ORIGINALLY FILED

METHOD AND APPARATUS FOR DEFIBRILLATING PATIENTS OF ALL AGES

Honorable Commissioner for Patents
Washington, D.C. 20231

ATTENTION: APPLICATION DIVISION

IN RESPONSE TO FILE CORRECTED
APPLICATION PAPERS

Sir:

In response to the NOTICE TO FILE CORRECTED APPLICATION PAPERS mailed on October 12, 2001, enclosed are the substitute drawings in compliance with 37 CFR 1.84, and a copy of the Notice. Accordingly, the above-identified patent application is now complete.

The Commissioner is also hereby authorized to charge any other fees which may be required, except the issue fee, or credit any overpayment to Account No. 14-1270.

Respectfully submitted,

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:

Commissioner for Patents
Washington, D.C. 20231

Date: Dec. 5, 2001

By: *Chas. De Luca*

By

[Signature]
Tony E. Piotrowski, Reg. 42,080
Attorney
(914) 333-9609



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/954,574	09/14/2001	Thomas D. Lyster	001127 (1727-11)

CONFIRMATION NO. 7222

FORMALITIES LETTER



OC00000006899767

Patent Counsel
Philips Electronics North America Corp.
580 White Plains Road
Tarrytown, NY 10591-5190

Date Mailed: 10/12/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

MF
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE